



passion for sports grounds

## SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

Phone: +49 (0) 7306 96 65 0

Fax: +49 (0) 7306 96 65 50

E-mail: [info@smg-machines.com](mailto:info@smg-machines.com)




PlanoMatic - Paving  
PlanoMatic P227



## PlanoMatic - Paving

### PlanoMatic P227



#### ***Item number/s:***

6400274

**Semi-automatic paver for athletic tracks and multipurpose sports surfaces.**

**Working width approx 2,700 mm (variable), area performance 730m<sup>2</sup>/h.**

The PlanoMatic P227 for athletic tracks is the easiest of all SMG pavers considering handling. On the basis of the proven, however fully automatic model P703, the P227 convinces due to a working width approx 2,700 mm and the intentional reduction to the most important features.

P227 is equipped with only one control panel which can be fixed either on the left or ride side of the machine enabling to access the most important functions easily and clearly.

The variable adjustable installation speed is max. 4.5 m/min, thus providing a theoretical performance of 730 m<sup>2</sup>/h. The machine is easy to manoeuvre with a weight of 830 kg and equipped with driving chains of 80 mm width.

For the optimal surface quality the compaction can be adjusted accordingly by changing the angle of the screed. The oscillating speed of the screed is adjustable and therefore provides the optimum surface quality. Material limiters installed on the side of the screed assure exact paving edges for surfaces without joints. The P227 can be lifted with the help of the hand pump.

# PlanoMatic - Paving

## PlanoMatic P227

### Detail views



**PlanoMatic P227**



**Detachable control panel for left and right**



**Manual handwheel for adjusting the installation thickness**

# PlanoMatic - Paving

## PlanoMatic P227

### Technical information

Power	6 kW (8,2 HP) / 3 ph. / 400 V / 50 - 60 Hz / 11 A
Traction drive	2 A.C. gear motors (steered by frequency converter) / max. 4.5 m/min.
Chain drive	with chains 80 x 40 mm
Installation width	approx. 2,700 mm (variable)
Weight	830 kg
Dimensions	L 3,450 x W 2,440 x H 820 mm

Subject to technical changes



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0  
Fax: +49 (0) 7306 96 65 50 | [info@smg-machines.com](mailto:info@smg-machines.com) | [www.smg-machines.com](http://www.smg-machines.com)