



passion for sports grounds

## SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

Phone: +49 (0) 7306 96 65 0

Fax: +49 (0) 7306 96 65 50

E-mail: [info@smg-machines.com](mailto:info@smg-machines.com)




TurfBoy - Maintenance  
TurfBoy TB2 / TB2T



# TurfBoy - Maintenance

## TurfBoy TB2 / TB2T



### ***Item number/s:***

*6400161 / TB2*

*6212217 / TB2T*

### **Ride-on machines for the cleaning and care of infilled (TB2) or non-infilled (TB2T) artificial turf.**

TurfBoy TB2 is driven by a 11,8 kW (16 HP) air-cooled petrol engine. Due to its very compact design the machine is ideal for the work on sand infilled tennis courts or sand/rubber infilled pitches such as futsal courts. The working depth of the rotary brush can be adjusted via two spindles. The vibrating screen can be precisely adjusted, with variable settings from 4 to 10 mm, depending and in accordance with the condition of the infill material. You can easily clean the filter by turning the handwheel.


The brush housing and the drag brush row at the rear of TurfBoy TB2 can be lifted from the driver position. The drag brush stands on the left-hand side of the machine is overlapping it by 20 cm. Such positioning makes it possible to reach edges and corners. Due to the detachable trailing brush row, the TurfBoy TB2 can pass even doors of 1 metre width.

SMG dust filters installed by SMG comply with DIN EN60335-2-69/dust class "M" and EN779 "F8" or "F9". Dust with a high proportion of fines as well as granulate/fibre abrasion (microplastics) are extracted via the powerful turbine and bound in the filter.

# TurfBoy - Maintenance

## TurfBoy TB2 / TB2T

### Detail views



#### Smooth adjustable

Vibrator sieve adjustable from 4 - 10 mm, cleans dirt out of the infill material with simultaneous repatriation.



#### Clean

Hand wheel for dedusting of the permanent filter.



#### Outstanding

Unilateral overlapped drag brush row.

## TurfBoy - Maintenance

### TurfBoy TB2 / TB2T

#### Detail views



#### Optional tines

Decompacting unit for gently loosening of the infilling material.

# TurfBoy - Maintenance

## TurfBoy TB2 / TB2T

### Options/Attachments



**BeltSpreader BS800**

**item no. 6221306**

Ground driven spreader for artificial turf.



**Triangle brush DB1600**

**item no. 6211805**

Triangle brush for artificial turf.



**Triangle brush DB1600F**

**item no. 6236543**

Light, robust and foldable Triangle brush for artificial turf.



# TurfBoy - Maintenance

## TurfBoy TB2 / TB2T


### Options/Attachments



**Triangle brush DB1000F**

**item no. 6235134**

Light, robust and foldable Triangle brush DB1000F.



**Magnet bar ML1500**

**item no. 6220297**

Magnet bar ML1500 for artificial turf maintenance.



**Decompacting unit**


**item no. 6239732**

Tines for gently loosening of the infilling material.

# TurfBoy - Maintenance

## TurfBoy TB2 / TB2T

### Options/Attachments



**Rubber drag mat**

**item no. 6400241**

Rubber drag mat with steel frame, 1,500 x 2,000 x 70 mm.



# TurfBoy - Maintenance

## TurfBoy TB2 / TB2T

### Technical information

Drive	2-cylinder petrol engine, air-cooled / 11,8 kW (16 HP)
Traction drive	hydrostatic, driving speed up to 9 km/h
Working width	800 mm
Weight	310 kg
Dimensions	L 1,860 x W 850 x H 1,200 mm
Shipping dimensions	L 2,150 x W 1,170 x H 1,400 mm

Subject to technical changes



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0  
Fax: +49 (0) 7306 96 65 50 | [info@smg-machines.com](mailto:info@smg-machines.com) | [www.smg-machines.com](http://www.smg-machines.com)