



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

Phone: +49 (0) 7306 96 65 0

Fax: +49 (0) 7306 96 65 50

E-mail: info@smg-machines.com



TurfSoft - Maintenance
TurfSoft TS3 / TS3E



TurfSoft - Maintenance

TurfSoft TS3 / TS3E



Item number/s:

6400120 / TS3

6400220 / TS3E

Machine for the cleaning and care of artificial turf.

TurfSoft is a solution as simple as effective for the joy in the game and maintaining the value of small areas with non-infilled and infilled surfaces (sand and sand/rubber). Using this machine you can eliminate suspended particles, abrasion and dirt particles from the top surfaces. The manoeuvrable TurfSoft is ideal for areas with little space to move, where stairs, steps and narrow doorways complicate the access to the artificial turf pitches.

TurfSoft is equipped with a petrol engine which controls three functions at the same time: the vibrating function of the sieve, the drive of the turbine and the rotation of the cleaning brush. With light pressure on the steering arm the brush steps into the turf and through the emerging feed it causes an easy and energy-saving operation.

You can easily clean the filter by turning the handwheel.

TurfSoft TS3 is developed for the cleaning of infilled artificial turf pitches along boards, fences or corner blocks. Equipped with a hinged side broom the TurfSoft TS3 eliminates the dirt even in areas which are difficult to access. If the side broom is not used, it can be easily folded.

SMG dust filters installed by SMG comply with DIN EN60335-2-69/dust class "M" and EN779 "F8" or "F9". Dust with a high proportion of fines as well as granulate/fibre abrasion (microplastics) are extracted via the powerful turbine and bound in the filter.

TurfSoft - Maintenance

TurfSoft TS3 / TS3E

Detail views



TurfSoft TS3



Side broom

Equipped with a hinged side broom the TurfSoft TS3 eliminates the dirt even in areas which are difficult to access. If the side broom is not used, it can be easily folded.



Compact

Foldable steering arm for easy transport and storing in small places.

TurfSoft - Maintenance

TurfSoft TS3 / TS3E

Detail views



Smooth adjustable

Extractable filter sieve different sieve sizes available.

TurfSoft - Maintenance

TurfSoft TS3 / TS3E

Technical information

Drive	TS3: 1-cylinder petrol engine / 2,6 kW (3,5 HP) TS3E: 1,5 kW (2,0 HP)
Filter box	permanent filter approx. 5 m ²
Working width	800 mm
Weight	TS3: 108 kg TS3 E: 116 kg
Dimensions	L 1,130 x W 995 x H 910 mm
Shipping dimensions	L 1,200 x W 910 x H 900 mm

Subject to technical changes



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com