



passion for sports grounds

## SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

Phone: +49 (0) 7306 96 65 0

Fax: +49 (0) 7306 96 65 50

E-mail: [info@smg-machines.com](mailto:info@smg-machines.com)



TurfWinch - Recycling  
TurfWinch TW2000 ECO



# TurfWinch - Recycling

## TurfWinch TW2000 ECO



### ***Item number/s:***

6229232

### **Attachment for Up- and Unrolling of artificial turf.**

TurfWinch TW2000 winds up artificial turf with or without infill material into transportable rolls. The maximum roll width is 2 metres. Height adjustable support rollers facilitate handling. The winding speed is also adjustable and can be activated from the driver seat by the handheld steering. TurfWinch TW2000 can be operated by different adaptors with all available loaders.

Requirements for using the TW2000:

Operation requires a loader or a tractor with at least 20 kW (27 HP) drive power and an oil capacity of 25 litres per minute. We recommend a continuously variable hydrostatic transmission drive or crawling gear.

# TurfWinch - Recycling

## TurfWinch TW2000 ECO

### Detail views



#### Universal

All standard adapter plates can be screwed on.



#### Easy

control element



#### Protected

Controls protected.

# TurfWinch - Recycling

## TurfWinch TW2000 ECO

### Technical information

Roll width	2 Meter optimal
Drive	Hydraulic
Weight	220 kg
Dimensions	L 2,510 x W 406 x H 1,161 mm
Shipping dimensions	L 2,640 x W 1,370 x H 610 mm

Subject to technical changes



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0  
Fax: +49 (0) 7306 96 65 50 | [info@smg-machines.com](mailto:info@smg-machines.com) | [www.smg-machines.com](http://www.smg-machines.com)