

SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

+49 (0) 7306 96 65 0

טלפון:

+49 (0) 7306 96 65 50

פקס:

info@smg-machines.com

דואר אלקטרוני:



passion for sports grounds




דשא



חסלול

מחזור - TurfMuncher
TurfMuncher TM2500E



מחזור - TurfMuncher TurfMuncher TM2500E



מספרי פריט:

6226900

.Stationary machine for the removal of infill materials of artificial turf

The stationary TurfMuncher TM2500E removes infill materials from removed artificial turf rolls. Driven by an electro-hydraulic unit with 45 kW all functions are electro/hydraulically controlled

The TurfMuncher TM2500E has a beating unit to work out the infill materials from the artificial turf (5 material conveyer), a brushing unit to clean the turf backing and portal frame with fall protection device

The adjustable discharge height of the conveyor belts allows easy picking up of the removed infill material. The rewinder for rolls of is up to 2,200 .mm, a maximum diameter of 1,300 mm and a maximum weight of 3,500 kg .The removal rate is up to 30,000 kg/hour

.Essential: machine safety fence with optional integration into the system control

:Recommended machine peripherals according to the technical description attached

- feed table/conveyor belt as a storage facility for full rolls of artificial turf
- work/operating platform for operating, monitoring and entering the machine
- outlet belt "infill materials" for discharging infill materials for further processing
- removal table/conveyor belt, interim storage or outlet belt for empty artificial turf rolls
- machine underframe aligned to the height of the system peripherals and for simple cleaning and maintenance work

מחזור - TurfMuncher
TurfMuncher TM2500E

סקירת פרטים



Switch box with controls




Rewinder for rolls with idlers



Input area for artificial turf rolls

מחזור - TurfMuncher
TurfMuncher TM2500E

סקירת פרטים



Electro-hydraulic drive

מחזור - TurfMuncher TurfMuncher TM2500E

מידע טכני

Electro/hydraulically powered 45 kW	Drive
45 קילו-וואט (61,2 HP) / 50-60 הרץ / 125 אמפר	כוח
עד ל 2,200 מ"מ	Working width
up to 30,000 kg/h	Removal rate
kg 7,000	Weight
L 5,600 x W 4,000 x H 2,500 mm	Dimensions

בכפוף לשינויים טכניים



passion for sports grounds

+49 (0) 7306 96 65 0 | 079 | SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany
+49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com :079