



passion for sports grounds


SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany


телефон: +49 (0) 7306 96 65 0

факс: +49 (0) 7306 96 65 50

электронная почта: info@smg-machines.com



TurfMuncher - Вторичное использование
TurfMuncher TM2500E



TurfMuncher - Вторичное использование

TurfMuncher TM2500E



Номер(а) изделия(й):

6226900

Stationary machine for the removal of infill materials of artificial turf.

The stationary TurfMuncher TM2500E removes infill materials from removed artificial turf rolls. Driven by an electro-hydraulic unit with 45 kW all functions are electro/hydraulically controlled.

The TurfMuncher TM2500E has a beating unit to work out the infill materials from the artificial turf (5 material conveyor), a brushing unit to clean the turf backing and portal frame with fall protection device.

The adjustable discharge height of the conveyor belts allows easy picking up of the removed infill material. The rewinder for rolls of is up to 2,200 mm, a maximum diameter of 1,300 mm and a maximum weight of 3,500 kg.

The removal rate is up to 30,000 kg/hour.

Essential: machine safety fence with optional integration into the system control.

Recommended machine peripherals according to the technical description attached:


- feed table/conveyor belt as a storage facility for full rolls of artificial turf
- work/operating platform for operating, monitoring and entering the machine
- outlet belt "infill materials" for discharging infill materials for further processing
- removal table/conveyor belt, interim storage or outlet belt for empty artificial turf rolls
- machine underframe aligned to the height of the system peripherals and for simple cleaning and maintenance work

TurfMuncher - Вторичное использование TurfMuncher TM2500E

Отдельные части крупным планом



Входная зона для рулонов искусственного газона



Перемоточное устройство для рулонов, с натяжными роликами



Распределительный блок с органами управления

TurfMuncher - Вторичное использование TurfMuncher TM2500E

Отдельные части крупным планом



Электрогидравлический привод

TurfMuncher - Вторичное использование

TurfMuncher TM2500E

Техническая информация

Привод	Электрогидравлический двигатель мощностью 45 кВт
Мощность	Мощность 45 кВт (61,2 л.с.) / 400 В / 50-60 Гц / 125 А
Ширина захвата	до 2200 мм
Скорость удаления	до 30 000 кг/ч
Вес	7 000 кг
Размеры	Д 5 600 x Ш 4 000 x В 2 500 мм

Мы оставляем за собой право на технические изменения



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | телефон: +49 (0) 7306 96 65 0
факс: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com