



passion for sports grounds

## SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

Phone: +49 (0) 7306 96 65 0

Fax: +49 (0) 7306 96 65 50

E-mail: [info@smg-machines.com](mailto:info@smg-machines.com)



GranuMatic - Applying / Striping  
GranuMatic G402D



## GranuMatic - Applying / Striping GranuMatic G402D



### ***Item number/s:***

8100016

### **Granules blower to broadcast rubber on polyurethane coatings.**

For a perfect surface with secure coverage of the coating material, an even application layer and a sufficient quantity of granulate are absolutely essential. The special challenge faced during the careful spreading required for the installation of a running track is to provide large granulate throw widths with a high degree of accuracy. This activity is usually labour intensive and is carried out by hand, using shovels. The GranuMatic makes this work much easier.


With this spreader tube, the granulate can be scattered in precisely measured quantities in a radius of up to 12 metres. The delivery capacity is approx. 50 to 75 kg/min, depending on the specification of the granulate. The capacity of the material container is approx. 200 litres and it therefore serves as a buffer and feed container during the work operation.

# GranuMatic - Applying / Striping GranuMatic G402D

## Detail views




**GranuMatic G402D**



**Continious**

Material hopper with a capacity of 200 kg to ensure constant material supply.



**Quality**

Granulate spreader tube with diffuser flap for homogenous broadcasting.


# GranuMatic - Applying / Striping GranuMatic G402D

## Detail views



### Precision

Powerful rotary blower for a throwing distance of up to 12 metres.



### Protected

Steering elements integrated in the chassis.



### Reliable

Kubota Control Box

# GranuMatic - Applying / Striping

## GranuMatic G402D

### Technical information

Drive	Diesel engine 14,9 kW (20,2 HP)
Scattering width	max. 12 metres
Area performance	50 - 75 kg/min
Weight	550 kg
Dimensions	L 2,410 x W 1,140 x H 1,350 mm

Subject to technical changes



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0  
Fax: +49 (0) 7306 96 65 50 | [info@smg-machines.com](mailto:info@smg-machines.com) | [www.smg-machines.com](http://www.smg-machines.com)