PASSION FOR SPORTS GROUNDS





SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com

GranuMatic G402D

GRANUMATIC - APPLYING / STRIPING



Granules blower to broadcast rubber on polyurethane coatings.

For a perfect surface with secure coverage of the coating material, an even application layer and a su□fficient quantity of granulate are absolutely essential. The special challenge faced during the careful spreading required for the installation of a running track is to provide large granulate throw widths with a high degree of accuracy. This activity is usually labour intensive and is carried out by hand, using shovels. The GranuMatic makes this work much easier.

With this spreader tube, the granulate can be scattered in precisely measured quantities in a radius of up to 12 metres. The delivery capacity is approx. 50 to 75 kg/min, depending on the specification of the granulate. The capacity of the material container is approx. 200 litres and it therefore serves as a buffer and feed container during the work operation.



GranuMatic G402D / Detail views

GRANUMATIC - APPLYING / STRIPING



GranuMatic G402D



Continious

Material hopper with a capacity of 200 kg to ensure constant material supply.



Quality

Granulate spreader tube with diffuser flap for homogenous broadcasting.


GranuMatic G402D / Detail views

GRANUMATIC - APPLYING / STRIPING



Precision

Powerful rotary blower for a throwing distance of up to 12 metres.



Protected

Steering elements integrated in the chassis.



Reliable

Kubota Control Box

GranuMatic G402D / Detail views

GRANUMATIC - APPLYING / STRIPING



Optional

Item no. 3208494

Weatherproof TPU cover sheet

GranuMatic G402D / Detail views

GRANUMATIC - APPLYING / STRIPING



Weatherproof TPU cover sheet

Item no. 3208494

GranuMatic G402D / Detail views

GRANUMATIC - APPLYING / STRIPING

Item number/s:	*8100016*
Drive	Diesel engine 14,9 kW (20,2 HP)
Scattering width	max. 12 metres
Area performance	50 - 75 kg/min
Weight	550 kg
Dimensions	L 2,410 x W 1,140 x H 1,350 mm

Subject to technical changes

PASSION FOR SPORTS GROUNDS

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com