





passion for sports grounds



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com

MixMatic M1202

MIXMATIC - MIXING



Batch mixer for binder, rubber granules and gravel.

Option: charging vat.

Materials for sports surfaces, such as granulate, gravel, cork and PU-coating are homogeneously mixed by the MixMatic M1202. The M1202 is also ideal for industrial floors, e.g. for cementbound floor screeds or epoxy resin floor coverings.

The robust construction of the machines is designed to withstand the extremely tough conditions of non-stop work on job sites. Thus, the low filling lever for loading and the strong lifting hydraulics for the speedy discharging of the mixed material turn out to be key benefits. Extremely intensive mixing of the materials shortens mixing cycles. Using an extra charging vat (optional) can expedite the mixing process. The basic mixer lifting hydraulics facilitate the loading.



MixMatic M1202 / Detail views

MIXMATIC - MIXING



MixMatic M1202



Safety

Support legs ensure a safe stand.



Proven

Container emptying in all standard dumpers.


MixMatic M1202 / Detail views

MIXMATIC - MIXING




Reliable

Kubota Control Box with control elements.



Protected

Steering elements protected under the engine hood.




Powerfull

Hydraulic drive and gearbox for high mixing performance.

MixMatic M1202 / Detail views

MIXMATIC - MIXING



Process reliability

Material container and mixing tool for a homogeneous mixture.



Optional

Charging vat for rational charging of materials.



Optional

Item no. 3208494

Cubierta impermeable

MixMatic M1202 / Detail views

MIXMATIC - MIXING



Weatherproof TPU cover sheet

Item no. 3208494

MixMatic M1202 / Detail views

MIXMATIC - MIXING

Item number/s:	6400077
Drive	M1202 D: diesel engine 14,9 kW (20,2 HP) M1202 E: electric motor 8 kW (10,9 HP) / 400 V / 50 Hz / 15 A
Electrical equipment	Compact control in a housing protected against spraying water; with switch for changing the direction of turn
Mixing capacity	150 kg/2 min
Mixer drive	Hydraulic aggregate with tank, pump, oil cooler, control valve, main control block, level indicator with thermometer. Pump and oil cooler driven by the motor via twin V-belts, tank capacity 45 litres.
Weight	M1202 D: 650 kg M1202 E: 550 kg
Dimensions	L 2,300 x W 1,000 x H 1,100 mm
Shipping dimensions	L 2,380 x W 1,140 x H 1,350 mm

Subject to technical changes



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0

Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com