




passion for sports grounds



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0  
Fax: +49 (0) 7306 96 65 50 | [info@smg-machines.com](mailto:info@smg-machines.com) | [www.smg-machines.com](http://www.smg-machines.com)

# PlanoMatic P436

PLANOMATIC / INDUSTRIAL FLOOR - PAVING




**Fully automatic paver for bonded screed.**

**Working width 3,500 mm, area performance max. 950 m<sup>2</sup>/h.**

PlanoMatic P436 has been developed for the professional and efficiency-oriented installation of bonded screeds. Providing a working width of 3,500 mm, P436 is capable of paving up to 950 m<sup>2</sup>/h. Therefore the machine enables feed speeds of 1.0 to 4.5 m/min. Star-shaped drive wheels guarantee best traction. A connected upstream material manifold makes the manual moving of the material unnecessary. Subsequently the paddle shaft in front of the screed ensures an equal compaction. The screed can be adjusted in its slope and hence adjusted to all conditions - always assuring an optimal surface finish.

For a planar installation either a laser control or a tactile unit can be mounted. An optional petrol generator provides the necessary power for the P436 and makes the machine independent from external power sources. The PlanoMatic P436 is controlled conveniently from the control panel.




# PlanoMatic P436 / Detail views

PLANOMATIC / INDUSTRIAL FLOOR - PAVING



**Paddle shaft for equal compaction**




**Pivoting control panel**



**Optional tactile unit for scanning of the subbase**

# PlanoMatic P436 / Detail views

PLANOMATIC / INDUSTRIAL FLOOR - PAVING



**Hydraulic lever for quick access**



**Plug in for optional tactile unit**



**Handwheel for installation height**

# PlanoMatic P436 / Detail views

PLANOMATIC / INDUSTRIAL FLOOR - PAVING



Switch box with frequency converters



Gauges for hydraulic pressures



Material distributor

# PlanoMatic P436 / Detail views


PLANOMATIC / INDUSTRIAL FLOOR - PAVING



Self propelled drive chassis



Adjustment of compaction



LED spotlight

# PlanoMatic P436 / Detail views

PLANOMATIC / INDUSTRIAL FLOOR - PAVING



**Robust drive wheels**

# PlanoMatic P436 / Detail views

## PLANOMATIC / INDUSTRIAL FLOOR - PAVING

<b>Item number/s:</b>	6218685
<b>Power</b>	6,2 kW (8,4 HP) / 400 V / 50 - 60 Hz / 12 A
<b>Traction drive</b>	electric motor infinitely variable by frequency inverter, for variable speed approx. 1.0 up to 4.5 m/min
<b>Installation width</b>	3,500 mm
<b>Area performance</b>	max. 950 m <sup>2</sup> /h
<b>Weight</b>	1,550 kg
<b>Dimensions</b>	L 3,700 x W 1,605 x H 1,100 mm

Subject to technical changes



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0

Fax: +49 (0) 7306 96 65 50 | [info@smg-machines.com](mailto:info@smg-machines.com) | [www.smg-machines.com](http://www.smg-machines.com)