



passion for sports grounds



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com

Spreader SP1400

SPREADER - FILLING




Tractor spreader for all types of artificial turf infill materials.

The SP1400 is a versatile tractor spreader designed for the application of all types of infill materials on artificial turf. The unit is powered by a tractor with an engine output of 20 to 40 hp and requires a feed capacity of 25 liters at 150 bar per minute. The tractor's rear hydraulics drive both the conveyor belt and the spreading brush. The speeds of these functions can be precisely adjusted via a hydraulic valve. The spread rate is controlled by a dosing slide to ensure even material distribution. The SP1400 offers a working width of 1,400 mm and is equipped with a hopper capacity of 1.4 m³ as standard. Additional extension frames are included as standard equipment, increasing the total hopper volume to 2.0 m³. These extension frames, however, are not intended for use when spreading sand. With an empty weight of only 775 kg, the machine ensures low ground pressure and even weight distribution thanks to its large-volume tires. For convenient parking, the SP1400 is equipped with a sturdy support wheel on the drawbar.



Spreader SP1400 / Detail views

SPREADER - FILLING




Performance

Hopper with 1.4 m³ capacity and conveyor belt.



Functional

Hydraulic valves for adjusting the working speeds of the spreading brush and the conveyor belt.




Precise

Dosing slide for manual adjustment of the spreading rate.

Spreader SP1400 / Detail views

SPREADER - FILLING



Practical

Manual adjustment of the spreading width.



Effective

Spreading brush for even distribution of the infill materials.



Safety

Stable support wheel on the drawbar for easy parking.

Spreader SP1400 / Detail views

SPREADER - FILLING



Light footed

Four large-volume tires for minimum ground pressure.



Lashing points

for safe transport.

Spreader SP1400 / Detail views

SPREADER - FILLING

Item number/s: 6400359

Spreading width 1.400 mm

Max. filling weight / Container volume 2,0 m³

Weight 775 kg

Dimensions L 3,000 x W 1,700 x H 1,600 mm

Shipping dimensions L 3,350 x W 1,840 x H 1,880 mm

Subject to technical changes



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0

Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com