



passion for sports grounds



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com

Decompactor DC1000

DECOMPACTOR - MAINTENANCE



Pull behind equipment for lawn mowers or tractors to loosen the infill of artificial turf.

Areas of application are e.g. long-pile football turf and short-pile tennis turf. Two ground-driven spiked rollers with a special gear ratio loosen the infill material in the artificial turf and straighten its fibers. The working depth can be precisely adjusted using 4 adjusting spindles and 2 feeler rollers. The drawbar has a hitch / bracket combination, which means that the DC1000 can be pulled by various devices. The drawbar can be moved from the working position to the transport position. For transport purposes, the device can be completely lifted out over the chassis.



Decompactor DC1000 / Detail views

DECOMPACTOR - MAINTENANCE




Decompactor DC1000



Effektiv

Pair of spiked rollers with translation.



Gentle

Roller for minimum ground pressure.

Decompactor DC1000 / Detail views

DECOMPACTOR - MAINTENANCE




Precision

Spindles to adjust and lock the working depth.



Control

Scale to control working depth and level.



Functional

Chassis with 2 in 1 drawbar.

Decompactor DC1000 / Detail views

DECOMPACTOR - MAINTENANCE



Optional

Hook for optional rear brush.

Decompactor DC1000 / Detail views

DECOMPACTOR - MAINTENANCE

Item number/s: 6233992

Working width 1,000 mm

Weight 230 kg

Dimensions L 1,905 x W 1,023 x H 730 mm

Shipping dimensions L 1,440 x W 1,150 x H 980 mm

Subject to technical changes



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0

Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com