




passion for sports grounds



TurfBoy TB1

TURFBOY - MAINTENANCE



Ride-on machine for the care of artificial turf.

TurfBoy TB1 is driven by a 1-cylinder 12,2 kW (16,6 HP) air-cooled petrol engine. The ground-driven rotary brush TurfScout TS700 eliminates suspended particles, abrasion and dirt particles from the top surfaces. Its working width is 700 mm. The vibrating screen can be precisely adjusted, with variable settings from 4 to 10 mm, depending and in accordance with the condition of the infill material. The now cleaned infill material will be dosed and returned to the system as well as the fibre will be put upright again. TurfBoy TB1 is equipped with a drag brush and a hitch to pull additional attachments like triangular brushes, magnets or the ground-driven Beltspreader BS800.

The working width of the drag brush can be extended by putting in additional brushes.

TurfBoy TB1 is equipped with a rake and a perforated shovel for infill to clean the inside of goal areas. The rear garage folds out and contains brackets for additional tools, 2 dirt pans and a work platform that can be used for the transport of the foldable triangular brush DB1000F.



TurfBoy TB1 / Detail views

TURFBOY - MAINTENANCE



Engine

1-cylinder petrol engine, air-cooled / 12.2 kW (16,6 HP)



Easy handling

Ergonomically arranged operating controls.



Smooth

Adjustable vibrator sieve adjustable from 4 - 10 mm, cleans dirt out of the infill material with simultaneous repatriation.

TurfBoy TB1 / Detail views

TURFBOY - MAINTENANCE



Effective

The working width of the drag brush can be extended from 800 mm to 1,200 mm by putting in additional brushes.



Hitch

For drag matts, triangle brushes and magnet bars.



Wheels

Tires especially for use on turf ensure minimal pressure on the ground.

TurfBoy TB1 / Detail views

TURFBOY - MAINTENANCE



Functional



Gentle

TurfBoy TB1 / Detail views

TURFBOY - MAINTENANCE



Magnet bar ML1500

Item no. 6220297


Magnet bar ML1500 for artificial turf maintenance.



BeltSpreader BS800

Item no. 6221306

Ground driven spreader for artificial turf.



Decompacting unit

Item no. 6239732

Tines for gently loosening of the infilling material.

TurfBoy TB1 / Detail views

TURFBOY - MAINTENANCE



Rubber drag mat

Item no. 6400241

Rubber drag mat with steel frame.

L 1,500 x W 2,000 x H 70 mm

TurfBoy TB1 / Detail views

TURFBOY - MAINTENANCE

Item number/s:	6235796
Drive	1-cylinder petrol engine, air-cooled / 12.2 kW (16,6 HP)
Traction drive	hydrostatic, driving speed up to 9 km/h
Working width	700 mm
Weight	280 kg
Dimensions	L 2,180 x W 1,000 x H 1,200 mm
Shipping dimensions	L 2,270 x W 1,150 x H 1,240 mm

Subject to technical changes



passion for sports grounds