PASSION FOR SPORTS GROUNDS






SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com

TurfBoy TB2 / TB2T

TURFBOY - MAINTENANCE





Ride-on machines for the cleaning and care of infilled (TB2) or non-infilled (TB2T) artificial turf.

TurfBoy TB2 is driven by a 11,8 kW (16 HP) air-cooled petrol engine. Due to its very compact design the machine is ideal for the work on sand infilled tennis courts or sand/rubber infilled pitches such as futsal courts. The working depth of the rotary brush can be adjusted via two spindles. The vibrating screen can be precisely adjusted, with variable settings from 4 to 10 mm, depending and in accordance with the condition of the infill material. You can easily clean the filter by turning the handwheel.

The brush housing and the drag brush row at the rear of TurfBoy TB2 can be lifted from the driver position. The drag brush stands on the left-hand side of the machine is overlapping it by 20 cm. Such positioning makes it possible to reach edges and corners. Due to the detachable trailing brush row, the TurfBoy TB2 can pass even doors of 1 metre width.

SMG dust filters installed by SMG comply with DIN EN60335-2-69/dust class "M" and EN779 "F8" or "F9". Dust with a high proportion of fines as well as granulate/fibre abrasion (microplastics) are extracted via the powerful turbine and bound in the filter.

TurfBoy TB2 / TB2T / Detail views

TURFBOY - MAINTENANCE



SMG dust filter

Dust filer comply with DIN EN60335-2-69/dust class “M” and EN779 “F8” or “F9”.



Comfort

Suspended and adjustable driver seat.



Precision

The working depth of the rotary brush can be adjusted via two spindles.

TurfBoy TB2 / TB2T / Detail views

TURFBOY - MAINTENANCE



Wheels

Tires especially for use on turf ensure minimal pressure on the ground.



SMG Omega

Drag brush quick change system.




Hitch

For drag matts, triangle brushes, magnet bars and spreaders.

TurfBoy TB2 / TB2T / Detail views

TURFBOY - MAINTENANCE




Clean

Hand wheel for dedusting of the permanent filter.



Smooth

Adjustable vibrator sieve adjustable from 4 - 10 mm, cleans dirt out of the infill material with simultaneous repatriation.



Outstanding

Unilateral overlapped drag brush row.
Working width can be extended from 800 to 1,200 mm.

TurfBoy TB2 / TB2T / Detail views

TURFBOY - MAINTENANCE



Optional tines

Decompacting unit for gently loosening of the infilling material.

TurfBoy TB2 / TB2T / Detail views

TURFBOY - MAINTENANCE



BeltSpreader BS800

Item no. 6221306

Ground driven spreader for artificial turf.



Decompacting unit

Item no. 6239732

Tines for gently loosening of the infilling material.



Triangle brush DB1000F

Item no. 6235134

Light, robust and foldable Triangle brush DB1000F.

TurfBoy TB2 / TB2T / Detail views


TURFBOY - MAINTENANCE



Triangle brush DB1600

Item no. 6211805

Triangle brush for artificial turf.



Triangle brush DB1600F

Item no. 6236543

Light, robust and foldable Triangle brush for artificial turf.




LeaveSweep LS900

Item no. 6240652

LeaveSweep with adjustable sieve from 4 – 10 mm to collect leaves and debris.

TurfBoy TB2 / TB2T / Detail views

TURFBOY - MAINTENANCE



LeaveSweep LS2400

Item no. 3208573

LeaveSweep to collect leaves and debris.



Magnet bar ML1500

Item no. 6220297

Magnet bar ML1500 for artificial turf maintenance.
L 1,500 mm x W 300 x H 300 mm



Rubber drag mat

Item no. 6400241

Rubber drag mat with steel frame for artificial turf maintenance.
L 1,500 x W 2,000 x H 70 mm

TurfBoy TB2 / TB2T / Detail views

TURFBOY - MAINTENANCE

Item number/s:	*6400161 / TB2* *6212217 / TB2T*
Drive	2-cylinder petrol engine, air-cooled / 11,8 kW (16 HP)
Traction drive	hydrostatic, driving speed up to 9 km/h
Working width	800 to 1,200. mm
Weight	310 kg
Dimensions	L 1,860 x W 850 x H 1,200 mm
Shipping dimensions	L 2,150 x W 1,170 x H 1,400 mm

Subject to technical changes

PASSION FOR SPORTS GROUNDS

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com