




passion for sports grounds



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com

TurfSoft TS3 DC

TURFSOFT - MAINTENANCE



Machine for the cleaning and care of artificial turf.

The TurfSoft is a solution as simple as effective for the joy in the game and maintaining the value of small areas with non-infilled and infilled surfaces (sand and sand/rubber). Using this machine you can eliminate suspended particles, abrasion and dirt particles from the top surfaces. The manoeuvrable TurfSoft is ideal for areas with little space to move, where stairs, steps and narrow doorways complicate the access to the artificial turf pitches.

The TurfSoft TS3 DC is equipped with a electric motor which controls three functions at the same time: the vibrating function of the sieve, the drive of the turbine and the rotation of the cleaning brush. With light pressure on the steering arm the brush steps into the turf and through the emerging feed it causes an easy and energy-saving operation.

You can easily clean the filter by turning the handwheel.

The TurfSoft TS3 is developed for the cleaning of infilled artificial turf pitches along boards, fences or corner blocks. Equipped with a hinged side broom the TurfSoft TS3 eliminates the dirt even in areas which are difficult to access. If the side broom is not used, it can be easily folded.



SMG dust filters installed by SMG comply with DIN EN60335-2-69/dust class "M" and EN779 "F8" or "F9". Dust with a high proportion of fines as well as granulate/fibre abrasion (microplastics) are extracted via the powerful turbine and bound in the filter.

TurfSoft TS3 DC / Detail views

TURFSOFT - MAINTENANCE



Compact

Foldable steering arm for easy transport and storing in small places.



Side broom

Equipped with a hinged side broom the TurfSoft TS3 eliminates the dirt even in areas which are difficult to access. If the side broom is not used, it can be easily folded.




Safety

Side wheel to avoid collisions on walls.

TurfSoft TS3 DC / Detail views

TURFSOFT - MAINTENANCE




Smooth adjustable

Extractable filter sieve different sieve sizes available.



Easy handling

Ergonomically arranged operating controls.



Comfort

Cup holder and bracket for tools.

TurfSoft TS3 DC / Detail views

TURFSOFT - MAINTENANCE



SMG dust filter

Dust filter comply with DIN EN60335-2-69/dust class "M" and EN779 "F8" or "F9".



Powerful

3.4 kW (4.7 HP) electric engine.

TurfSoft TS3 DC / Detail views

TURFSOFT - MAINTENANCE

Item number/s:	6242255
Drive	Electric motor / 3,4 kW (4,7 HP)
Working width	800 mm
Filter box	permanent filter approx. 5 m ²
Weight	112 kg
Dimensions	L 1,500 x W 1,120 x H 1,000 mm

Subject to technical changes



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0

Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com