



passion for sports grounds



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com

TurfWinch TW2000 ECO

TURFWINCH - RECYCLING



Attachment for Up- and Unrolling of artificial turf.

TurfWinch TW2000 winds up artificial turf with or without infill material into transportable rolls. The maximum roll width is 2 metres. Height adjustable support rollers facilitate handling. The winding speed is also adjustable and can be activated from the driver seat by the handheld steering. TurfWinch TW2000 can be operated by different adaptors with all available loaders.


Requirements for using the TW2000:

Operation requires a loader or a tractor with at least 20 kW (27 HP) drive power and an oil capacity of 25 litres per minute. We recommend a continuously variable hydrostatic transmission drive or crawling gear.



TurfWinch TW2000 ECO / Detail views

TURFWINCH - RECYCLING



Safety

Foldable support.



Universal

All standard adapter plates can be screwed on.



Protected

Controls protected.

TurfWinch TW2000 ECO / Detail views

TURFWINCH - RECYCLING

Item number/s:	6229232
Roll width	2 Meter optimal
Drive	Hydraulic
Weight	220 kg
Dimensions	L 2,510 x W 406 x H 1,161 mm
Shipping dimensions	L 2,640 x W 1,370 x H 610 mm

Subject to technical changes



passion for sports grounds

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0

Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com