PASSION FOR SPORTS GROUNDS






SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Teléfono: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com

TurfBoy TB2 Alko

TURFBOY - MANTENIMIENTO



Ride-on machine for the care of artificial turf.

TurfBoy TB2 is driven by a 1-cylinder 13 kW (17,7 HP) air-cooled petrol engine. The ground-driven rotary brush TurfScout TS700 eliminates suspended particles, abrasion and dirt particles from the top surfaces. Its working width is 700 mm. The vibrating screen can be precisely adjusted, with variable settings from 4 to 10 mm, depending and in accordance with the condition of the infill material. The now cleaned infill material will be dosed and returned to the system as well as the fibre will be put upright again. TurfBoy TB2 is equipped with a drag brush and a hitch to pull additional attachments like triangular brushes, magnets or the ground-driven Beltspreader BS800.

The working width of the drag brush can be extended by putting in additional brushes.

SMG dust filters installed by SMG comply with DIN EN60335-2-69/dust class "M" and EN779 "F8" or "F9". Dust with a high proportion of fines as well as granulate/fibre abrasion (microplastics) are extracted via the powerful turbine and bound in the filter.



TurfBoy TB2 Alko / Vistas detalladas

TURFBOY - MANTENIMIENTO



Filtro de polvo SMG

El filtro de polvo cumple con DIN EN60335-2-69/clase de polvo "M" y EN779 "F8" o "F9".



Drag Brush at the Rear of the Machine

Drag brush row for evenly distributing the infill material and straightening the artificial turf fibres.




Ball Hitch / Trailer Coupling

Hitch for additional maintenance equipment such as triangle brushes, drag mats and magnet bars.

TurfBoy TB2 Alko / Vistas detalladas

TURFBOY - MANTENIMIENTO



Rotary Brush

Rotary brush for collecting dirt and infill material for subsequent cleaning and recirculation.



V-Belt Drive

Mechanical V-belt drive for transmitting power to the rotary brush.



Working Depth Adjustment

Precise adjustment of the working depth of the rotary brush via two spindles.

TurfBoy TB2 Alko / Vistas detalladas

TURFBOY - MANTENIMIENTO



Filter Cleaning

Manual cleaning of the permanent filter by turning the handwheel.



Vibrator Sieve / Sieve Adjustment

Infinitely adjustable sieve openings from 4 to 10 mm for separating dirt from the infill material.



Powerful Petrol Engine with Operating Hours Counter

Reliable petrol engine with integrated operating hours counter.

TurfBoy TB2 Alko / Vistas detalladas

TURFBOY - MANTENIMIENTO



Turf-Friendly Tyres

Wide tyres ensure minimal ground pressure and particularly gentle cleaning.

TurfBoy TB2 Alko / Vistas detalladas

TURFBOY - MANTENIMIENTO



Recebadora BS800

Artículo No. 6221306

Remolque con ruedas para césped artificial.



Unidad de descompactación

Artículo No. 6239732

Unidad de descompactación para descompactar el material de relleno.



Cepillo triangular DB1000F

Artículo No. 6235134

Cepillo triangular ligero, robusto y plegable para cepillado de césped artificial.

TurfBoy TB2 Alko / Vistas detalladas

TURFBOY - MANTENIMIENTO



Cepillo triangular DB1600

Artículo No. 6211805

Cepillo triangular de arrastre para césped artificial.



Cepillo triangular DB1600F

Artículo No. 6236543

Cepillo triangular ligero, robusto y plegable para cepillado de césped artificial.




Recogedor de hojas LS900

Artículo No. 6240652

Recogedor de hojas y suciedad gruesa opcional con criba ajustable de 4 a 10 mm para recolección de hojas y otros desechos.

TurfBoy TB2 Alko / Vistas detalladas

TURFBOY - MANTENIMIENTO



Recogedor de hojas LS2400

Artículo No. 3208573

Barredor para recoger hojas y otra suciedad.



Placa magnética ML1500

Artículo No. 6220297

Placa magnética ML1500 para retirada de residuos metálicos.
L 1.500 mm x W 300 x H 300 mm



Alfombrilla de goma

Artículo No. 6400241

Alfombra de arrastre de goma con marco de acero para el mantenimiento del césped artificial.
L 1.500 x W 2.000 x H 70 mm

TurfBoy TB2 Alko / Vistas detalladas

TURFBOY - MANTENIMIENTO

Número de artículo:	*6241763*
Motor	Motor de gasolina de 2 cilindros, refrigerado por aire / 13 kW (17,7 CV)
Peso	308 kg
Dimensiones	L 1.860 x A 850 x H 1.200 mm

Sujeto a cambios técnicos

PASSION FOR SPORTS GROUNDS

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Teléfono: +49 (0) 7306 96 65 0
Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com