PASSION FOR SPORTS GROUNDS






SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Telefon: +49 (0) 7306 96 65 0
Faks: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com

TurfBoy TB2 Alko

TURFBOY - PIELĘGNACJA



Ride-on machine for the care of artificial turf.

TurfBoy TB2 is driven by a 1-cylinder 13 kW (17,7 HP) air-cooled petrol engine. The ground-driven rotary brush TurfScout TS700 eliminates suspended particles, abrasion and dirt particles from the top surfaces. Its working width is 700 mm. The vibrating screen can be precisely adjusted, with variable settings from 4 to 10 mm, depending and in accordance with the condition of the infill material. The now cleaned infill material will be dosed and returned to the system as well as the fibre will be put upright again. TurfBoy TB2 is equipped with a drag brush and a hitch to pull additional attachments like triangular brushes, magnets or the ground-driven Beltspreader BS800.

The working width of the drag brush can be extended by putting in additional brushes.

SMG dust filters installed by SMG comply with DIN EN60335-2-69/dust class "M" and EN779 "F8" or "F9". Dust with a high proportion of fines as well as granulate/fibre abrasion (microplastics) are extracted via the powerful turbine and bound in the filter.



TurfBoy TB2 Alko / Szczegółowe widoki

TURFBOY - PIELĘGNACJA



Filtry przeciwpyłowe SMG

Filtr stały zgodny z DIN EN60335-2-69/Staubklasse “M” und EN779 „F8“ bzw. „F9“.



Drag Brush at the Rear of the Machine

Drag brush row for evenly distributing the infill material and straightening the artificial turf fibres.




Ball Hitch / Trailer Coupling

Hitch for additional maintenance equipment such as triangle brushes, drag mats and magnet bars.

TurfBoy TB2 Alko / Szczegółowe widoki

TURFBOY - PIELĘGNACJA



Rotary Brush

Rotary brush for collecting dirt and infill material for subsequent cleaning and recirculation.



V-Belt Drive

Mechanical V-belt drive for transmitting power to the rotary brush.



Working Depth Adjustment

Precise adjustment of the working depth of the rotary brush via two spindles.

TurfBoy TB2 Alko / Szczegółowe widoki

TURFBOY - PIELĘGNACJA



Filter Cleaning

Manual cleaning of the permanent filter by turning the handwheel.



Vibrator Sieve / Sieve Adjustment

Infinitely adjustable sieve openings from 4 to 10 mm for separating dirt from the infill material.



Powerful Petrol Engine with Operating Hours Counter

Reliable petrol engine with integrated operating hours counter.

TurfBoy TB2 Alko / Szczegółowe widoki

TURFBOY - PIELĘGNACJA



Turf-Friendly Tyres

Wide tyres ensure minimal ground pressure and particularly gentle cleaning.

TurfBoy TB2 Alko / Szczegółowe widoki

TURFBOY - PIELĘGNACJA



Rozrzutnik taśmowy BS800

Nr art. 6221306

Rozrzutnik do mocowania z tyłu z układem kołowym do sztucznej trawy.



Listwa z igłami

Nr art. 6239732

Listwa do delikatnego spulchniania materiału wypełnienia.



Szczotka trójkatna DB1000F

Nr art. 6235134

Lekka, kompaktowa, składana szczotka trójkatna do wyrównywania materiału wypełnienia.

TurfBoy TB2 Alko / Szczegółowe widoki


TURFBOY - PIELĘGNACJA



Szczotka trójkątna DB1600

Nr art. 6211805

Szczotka trójkątna do wyrównywania materiału wypełnienia.



Szczotka trójkatna DB1600F

Nr art. 6236543

Lekka, kompaktowa, składana szczotka trójkatna do wyrównywania materiału wypełnienia.




LeaveSweep LS900

Nr art. 6240652

Opcjonalne sito na liście z regulowaną perforacją sita 4 – 10 mm.

TurfBoy TB2 Alko / Szczegółowe widoki

TURFBOY - PIELĘGNACJA



LeaveSweep LS2400

Nr art. 3208573

LeaveSweep do zbierania liści i zanieczyszczeń



Listwa magnetyczna ML1500

Nr art. 6220297

Listwa magnetyczna do pielęgnacji sztucznej murawy.
D 1.500 mm x S 300 x W 300 mm



Gumowa mata wygładzająca

Nr art. 6400241

Gumowa mata wygładzająca z ramą.
D 1.500 x S 2.000 x W 70 mm

TurfBoy TB2 Alko / Szczegółowe widoki

TURFBOY - PIELĘGNACJA

Numer pozycji/numery:	*6241763*
Napęd	2-cylinder petrol engine, air-cooled / 13 kW (17,7 HP)
Ciężar	308 kg
Wymiary	D 1.860 x S 850 x W 1.200 mm

Z zastrzeżeniem zmian technicznych

PASSION FOR SPORTS GROUNDS

SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Telefon: +49 (0) 7306 96 65 0
Faks: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com